

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/807,926	03/24/2004	Yozo Tanaka	09792909-5818	5144
26263 7590 09/10/2007 SONNENSCHEIN NATH & ROSENTHAL LLP P.O. BOX 061080			EXAMINER	
			SUTHERS, DOUGLAS JOHN	
	WACKER DRIVE STATION, SEARS TOWER CHICAGO, IL 60606-1080		ART UNIT	PAPER NUMBER
			2615	
•				
			MAIL DATE	DELIVERY MODE
			09/10/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	A II Ai No	Applicant(a)				
	Application No.	Applicant(s)				
Office Action Summany	10/807,926	TANAKA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Douglas Suthers	2615				
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with t	ne correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICA 136(a). In no event, however, may a reply will apply and will expire SIX (6) MONTHS te, cause the application to become ABANI	TION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 04.	Responsive to communication(s) filed on <u>04 January 2005</u> .					
,	·					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) <u>1-6</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-6</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.					
Application Papers						
9) The specification is objected to by the Examin 10) The drawing(s) filed on <u>04 January 2005</u> is/arc Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre 11) The oath or declaration is objected to by the E	e: a) \square accepted or b) \boxtimes objection accepted in abeyance ction is required if the drawing(s)	. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/N	nmary (PTO-413) Mail Date rmal Patent Application				
Paper No(s)/Mail Date 6) Other:						

Art Unit: 2615

DETAILED ACTION

1. The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2615.

Drawings

The drawings are objected to because the specification talks of key 16, but figure 2. 6 shows items 16a and 16b. It is suggested that it be consistent. Also keys 14-17 are shown differently in figures 1 and 2 for some unknown reason. It is suggested it be consistent. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Application/Control Number: 10/807,926 Page 3

Art Unit: 2615

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description:

- 4. Figures 1 and 2 contain item 33 not found in the specification. Perhaps page 8 should refer to "non-volatile memory 33" instead of "non-volatile memory 32".
- 5. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

Application/Control Number: 10/807,926 Page 4

Art Unit: 2615

6. Claims 4 and 5 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim cannot depend from any other multiple dependent claim. See MPEP § 608.01(n). Accordingly, the claims 4 and 5 have not been further treated on the merits.

Claim Rejections - 35 USC § 112

- 7. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 8. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 9. Claim 1 recites the limitation "the audio signal outputted from the digital reproducing unit". There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

10. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/807,926 Page 5

Art Unit: 2615

11. Claims 1-3 are rejected under 35 U.S.C. 102(b) as being anticipated by Namiki et al. (US 5130961).

12. Regarding claim 1, Namiki discloses an audio apparatus comprising:

a tuner unit (figure 1, item 1) for receiving broadcast;

a digital reproducing unit (2 with photosensor 8);

operating means (4) for operating the tuner unit and the digital reproducing unit;

a control unit (3) for controlling the tuner unit and the digital reproducing unit in response to an operation of the operating means, wherein

in a first mode, when an audio signal outputted from the tuner unit is selectively received, the control unit controls to turn on the power of the digital reproducing unit (figure 4, s5); and

in a second mode, when an audio signal outputted from the tuner unit is selectively received, the control unit controls to turn off the power of the digital reproducing unit (steps s17 and s19), and further to turn on the power thereof when selecting the audio signal outputted from the digital reproducing unit (steps s22 and s23).

13. Regarding claim 2, Namiki discloses wherein: said first mode and said second mode are switched by said control unit when a predetermined key operation is performed to said operating means (switching between sources via key panel).

Art Unit: 2615

Regarding claim 3, Namiki discloses wherein: said reproducing unit is a CD player (2 with sensor 8) radio frequency noise components of which are likely to interfere the reception of AM broadcasting by said tuner (1).

Conclusion

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas Suthers whose telephone number is (571)272-0563. The examiner can normally be reached on 8am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on (571)272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

WVIAN CHIN
SUFERVICES PATENT EXAMINER
TECHNOLOGY CENTER 2000

djs DA